



FACOM 74AT.X -Metric 6pt Hex Socket Protwist Screwdriver



74AT.3.2, 74AT.4, 74AT.4.5, 74AT.5, 74AT.5.5, 74AT.6, 74AT.7, 74AT.8, 74AT.9, 74AT.10, 74AT.11, 74AT.12, 74AT.13, 74AT.14

PRODUCT NAME	CODE	SIZE
<u>FACOM 74AT.3.2 - 3.2mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.3.2	3.2mm
<u>FACOM 74AT.4 - 4mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.4	4mm
<u>FACOM 74AT.4.5 - 4.5mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.4.5	4.5mm
<u>FACOM 74AT.5 - 5mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.5	5mm
<u>FACOM 74AT.5.5 - 5.5mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.5.5	5.5mm

PRODUCT NAME	CODE	SIZE
<u>FACOM 74AT.6 - 6mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.6	6mm
<u>FACOM 74AT.7 - 7mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.7	7mm
<u>FACOM 74AT.8 - 8mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.8	8mm
<u>FACOM 74AT.9 - 9mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.9	9mm
<u>FACOM 74AT.10 - 10mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.10	10mm
<u>FACOM 74AT.11 - 11mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.11	11mm
<u>FACOM 74AT.12 - 12mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.12	12mm
<u>FACOM 74AT.13 - 13mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.13	13mm
<u>FACOM 74AT.14 - 14mm Metric 6pt Hex Socket Protwist Screwdriver</u>	74AT.14	14mm

DESCRIPTION

FACOM 74AT.X -Metric 6pt Hex Socket Protwist Screwdriver

Features

Socket wrenches with screwdriver handle ideal for screws with limited access in height or precision mechanics.

Protwist screwdriver handle for optimum comfort even for powerful unlocking.

6-point socket with deep opening for long threads.

Forged body for maximum strength.

Metric sizes - 3.2 - 14 mm.

Satin chrome finish.

Technical Conformity

NF ISO 2236 - NF ISO 691 - ISO 2236 - ISO 691 - DIN 3125 - DIN ISO 691